

517210, 7210

1.1 Product identifier	
Product Name:	Restore Skin Cleanser
Product Codes:	517210, 7210
Manufacturer MSDS Number:	517210, 7210
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Uses:	For skin care management in ostomy, wound, and continence care. For external use only
Product Restrictions:	For skin care management in ostomy, wound, and continence care. For external use only
1.3 Supplier's details	
Manufacturer Name:	Hollister Incorporated
Manufacturer Address 1:	2000 Hollister Drive
Manufacturer City:	Libertyville
Manufacturer State:	Illinois
Manufacturer Zip Code:	60048
Manufacturer Country:	USA
Manufacturer Web:	www.Hollister.com
Business Phone:	847-680-1000
1.4 Emergency phone number	
Emergency Phone:	847-680-1000

# Section 2: Hazards Identification

517210, 7210

#### 2.1 Classification of the substance or mixture

2.1.1. Classification according to 2.2 Label elements:	Regulation (EC) No 1272/2008 [CLP] + EU Rule 453/2010/EU
Signal Words:	Not applicable.

2.3 Other hazards	
Precautionary Statements:	Pxxx - Not applicable.
Hazard Statements:	Hxxx - Not applicable.

Emergency Overview: WARNING! Irritant.

# Section 3: Composition/Information on Ingredients

#### 3.2 Mixtures:

Ingredient Name	CAS Number	Ingredient Percent	ECNumber	Comments
Citric Acid	77-92-9	1 - 5% by weight	201-069-1	
2-phenoxyethanol	122-99-6	0.1 - 1% by weight	204-589-7	
Acute Oral 4 Eye Irrit. 2				
Propylene glycol	63625-56-9	1 - 5% by weight	226-775-7	
Polysorbate 20	9005-65-6	5 - 10 % by weight	500-019-9	
Non hazardous	No data	75 - 80 % by weight		

Section 4: First Aid Measures

517210, 7210

4.1 Description of first aid measu	ires
Eye Contact:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.,If eye irritation persists: Get medical advice/attention.
Skin Contact:	No effects anticipated. If symptoms develop, Wash skin with soap and plenty of water.
	Get medical attention if irritation develops or persists.
Inhalation:	No effects anticipated. If symptoms persist, call a physician.
Ingestion:	If swallowed, do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.
	nd effects, both acute and delayed ical attention and special treatment needed
Note To Physicians:	None.
Section 5: Firefighting Measur	es 517210, 7210
5.1 Extinguishing media	
Extinguishing Media:	Use dry chemical or foam when fighting fires involving this material. Water mist may be used to cool closed containers.
5.2 Special hazards arising from t 5.3 Advice for firefighters	he substance or mixture
Fire Fighting Instructions:	Evacuate area of unprotected personnel. Use cold water spray to cool fire exposed containers to minimize risk of rupture. Do not enter confined fire space without full protective gear. If possible, contain fire run-off water.
Protective Equipment:	As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA/NIOSH (approved or equivalent) and full protective gear.
Section 6: Accidental Release	Measures 517210, 7210
6.1 Personal precautions, protec	tive equipment and emergency procedures
Personnel Precautions:	For large spills: Evacuate area and keep unnecessary and unprotected personnel from entering the spill area.
6.2 Environmental precautions Environmental Precautions:	from entering the spill area. For large spills: Avoid runoff into storm sewers, ditches, and waterways.
6.2 Environmental precautions Environmental Precautions:	from entering the spill area. For large spills: Avoid runoff into storm sewers, ditches, and waterways.
<ul> <li>6.2 Environmental precautions</li> <li>Environmental Precautions:</li> <li>6.3 Methods and materials for content</li> </ul>	from entering the spill area. For large spills: Avoid runoff into storm sewers, ditches, and waterways. Entainment and cleaning up For large spills: Contain spills with an inert absorbent material such as soil, sand or
<ul> <li>6.2 Environmental precautions Environmental Precautions:</li> <li>6.3 Methods and materials for containment:</li> </ul>	from entering the spill area. For large spills: Avoid runoff into storm sewers, ditches, and waterways. Entainment and cleaning up For large spills: Contain spills with an inert absorbent material such as soil, sand or oil dry.
<ul> <li>6.2 Environmental precautions Environmental Precautions:</li> <li>6.3 Methods and materials for containment:</li> <li>Methods for Containment:</li> </ul>	from entering the spill area. For large spills: Avoid runoff into storm sewers, ditches, and waterways. <b>Ontainment and cleaning up</b> For large spills: Contain spills with an inert absorbent material such as soil, sand or oil dry. For large spills: Place into a suitable container for disposal.
<ul> <li>6.2 Environmental precautions Environmental Precautions:</li> <li>6.3 Methods and materials for conditional methods for Containment:</li> <li>Methods for Cleanup:</li> <li>6.4 Reference to other sections</li> </ul>	from entering the spill area. For large spills: Avoid runoff into storm sewers, ditches, and waterways. <b>Sontainment and cleaning up</b> For large spills: Contain spills with an inert absorbent material such as soil, sand or oil dry. For large spills: Place into a suitable container for disposal. ge 517210, 7210
<ul> <li>6.2 Environmental precautions Environmental Precautions:</li> <li>6.3 Methods and materials for containment:</li> <li>Methods for Containment:</li> <li>Methods for Cleanup:</li> <li>6.4 Reference to other sections</li> <li>Section 7: Handling and Storage</li> </ul>	from entering the spill area. For large spills: Avoid runoff into storm sewers, ditches, and waterways. <b>Sontainment and cleaning up</b> For large spills: Contain spills with an inert absorbent material such as soil, sand or oil dry. For large spills: Place into a suitable container for disposal. ge 517210, 7210
<ul> <li>6.2 Environmental precautions Environmental Precautions:</li> <li>6.3 Methods and materials for conditional for Containment:</li> <li>Methods for Cleanup:</li> <li>6.4 Reference to other sections</li> <li>Section 7: Handling and Storage</li> <li>7.1 Precautions for safe handling</li> </ul>	from entering the spill area. For large spills: Avoid runoff into storm sewers, ditches, and waterways. <b>Ontainment and cleaning up</b> For large spills: Contain spills with an inert absorbent material such as soil, sand or oil dry. For large spills: Place into a suitable container for disposal. ge 517210, 7210
<ul> <li>6.2 Environmental precautions Environmental Precautions:</li> <li>6.3 Methods and materials for containment:</li> <li>Methods for Containment:</li> <li>Methods for Cleanup:</li> <li>6.4 Reference to other sections</li> <li>Section 7: Handling and Storage</li> <li>7.1 Precautions for safe handling Handling:</li> </ul>	from entering the spill area. For large spills: Avoid runoff into storm sewers, ditches, and waterways. <b>Sontainment and cleaning up</b> For large spills: Contain spills with an inert absorbent material such as soil, sand or oil dry. For large spills: Place into a suitable container for disposal. <b>Ge</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b> <b>Solution</b>
<ul> <li>6.2 Environmental precautions Environmental Precautions:</li> <li>6.3 Methods and materials for containment:</li> <li>Methods for Containment:</li> <li>Methods for Cleanup:</li> <li>6.4 Reference to other sections</li> <li>Section 7: Handling and Storage</li> <li>7.1 Precautions for safe handling: Handling:</li> <li>Special Handling:</li> </ul>	from entering the spill area. For large spills: Avoid runoff into storm sewers, ditches, and waterways. <b>Sontainment and cleaning up</b> For large spills: Contain spills with an inert absorbent material such as soil, sand or oil dry. For large spills: Place into a suitable container for disposal. <b>ge</b> <b>517210, 7210</b> Use with adequate ventilation. Avoid breathing vapor, aerosol or mist. Do not re-use empty containers. Wash thoroughly after handling. Avoid contact with eyes. <b>ncluding any incompatibilities</b> Store in a cool, dry, well ventilated area away from sources of heat and
<ul> <li>6.2 Environmental precautions Environmental Precautions:</li> <li>6.3 Methods and materials for conditional for Containment:</li> <li>Methods for Cleanup:</li> <li>6.4 Reference to other sections</li> <li>Section 7: Handling and Storage Handling:</li> <li>Special Handling:</li> <li>Hygiene Practices:</li> <li>7.2 Conditions for safe storage, in</li> </ul>	from entering the spill area. For large spills: Avoid runoff into storm sewers, ditches, and waterways. <b>Sontainment and cleaning up</b> For large spills: Contain spills with an inert absorbent material such as soil, sand or oil dry. For large spills: Place into a suitable container for disposal. <b>ge</b> <b>17210, 7210</b> Use with adequate ventilation. Avoid breathing vapor, aerosol or mist. Do not re-use empty containers. Wash thoroughly after handling. Avoid contact with eyes. <b>ncluding any incompatibilities</b>
<ul> <li>6.2 Environmental precautions Environmental Precautions:</li> <li>6.3 Methods and materials for conditional for Containment:</li> <li>Methods for Cleanup:</li> <li>6.4 Reference to other sections</li> <li>Section 7: Handling and Storage</li> <li>7.1 Precautions for safe handling: Handling:</li> <li>Special Handling: Hygiene Practices:</li> <li>7.2 Conditions for safe storage, in Storage:</li> </ul>	from entering the spill area. For large spills: Avoid runoff into storm sewers, ditches, and waterways. <b>Sontainment and cleaning up</b> For large spills: Contain spills with an inert absorbent material such as soil, sand or oil dry. For large spills: Place into a suitable container for disposal. <b>ge</b> <b>517210, 7210</b> Use with adequate ventilation. Avoid breathing vapor, aerosol or mist. Do not re-use empty containers. Wash thoroughly after handling. Avoid contact with eyes. <b>ncluding any incompatibilities</b> Store in a cool, dry, well ventilated area away from sources of heat and

8.1 Control parameters	
Exposure limit:	Guideline ACGIH: Not established. Guideline OSHA: Not established.
8.2 Exposure controls	
Engineering Controls:	No special protective equipment required under normal conditions of use. Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.
Eye Protection:	No special protective equipment required under normal conditions of use. If splashes are likely to occur, wear: Chemical splash goggles.
Face Protection:	No special protective equipment required under normal conditions of use. If splashes are likely to occur, wear: Chemical splash goggles.
Skin Protection:	No special protective equipment required under normal conditions of use.
Respiratory Protection:	No special protective equipment required under normal conditions of use. No personal respiratory protective equipment is normally required. The need for respiratory protection will vary according to the airborne concentrations and environmental conditions (such as in manufacturing).
Hygiene Practices:	Wash thoroughly after handling. Avoid contact with eyes.

# Section 9: Physical and Chemical Properties

51/210, /210

# 9.1 Information on basic physical and chemical properties Physical and chemical properties

,	
Physical State:	Physical State Appearance : Liquid.
Odor:	Slight.
pH:	Not determined.
Melting Temperature:	Not determined.
Boiling Temperature:	Not determined.
Flash Point:	>210 °F (>99°C)
Ignition Temperature:	Not determined.
Lower Flammable Limit:	Not determined.
Upper Flammable Limit:	Not determined.
Vapor Pressure:	Not determined.
Vapor Density:	Not determined.
Solubility:	Not determined.
Specific Gravity:	Not determined.
Evaporation Rate:	Not determined.
Percent Volatile:	Not determined.

### 9.2 Other information

eactivity	517210, 7210
Stable under recommended handling and storage conditions.	
reactions	
Hazardous polymerization does not occur.	
5	s reactions

Conditions To Avoid:	Heat, flames, ignition sources, and sparks. Incompatible materials.
10.5 Incompatible Materials	
10.6 Hazardous Decomposition Products:	Thermal decomposition can lead to release irritant fumes and toxic gases.
Section 11: Toxicological Info	ormation 517210, 7210
1.1 Information on toxicologic	al effects
Route of Exposure:	Eyes. Skin. Inhalation. Ingestion.
Target Organ Data:	Eyes. Skin. Respiratory system . Digestive system .
Acute Inhalation Effects:	Prolonged or excessive inhalation may cause respiratory tract irritation.
Acute Skin Effects:	May cause irritation.
Acute Ingestion Effects:	Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea
Acute Eye Effects:	May cause irritation.
2-phenoxyethanol:	
Ingestion Toxicity:	Oral LD50 Rat 1,386 - 2,563 mg/Kg (OECD SIDS)
ingestion rokierty.	

#### 12.1 Ecotoxicity

Ecotoxicity:

No environmental information found for this product.

#### 12.2 Persistence and degradability

Environmental Fate: No environmental information found for this product.

#### 12.3 Bioaccumulative potential

12.4 Mobility in soil

## Section 13: Disposal Considerations

#### 13.1 Waste treatment methods

Waste Disposal:

Dispose of in accordance with Local, State, Federal and Provincial regulations.

Section 14: Transport Info	ormation	517210, 7210
DOT Shipping Name:	Not Restricted	
DOT UN Number:	Not applicable	
Notes from Section 14:	The data provided in this section is for information only. Please ap appropriate regulations to properly classify your shipment.	ply the

## Section 15: Regulatory Information

#### California PROP 65:

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):,This product does not contain any Proposition 65 chemicals.

517210, 7210

SARA:	
	This product does not contain any chemicals which are subject to the reporting requirements of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III (40CFR, Part 372).
Canada WHMIS:	
	Controlled - Class: D2B Toxic
Regulatory - Ingredient Based	d:
Citric Acid:	
Canada DSL:	Listed
TSCA Inventory Status:	Listed
EC Number:	201-069-1
2-phenoxyethanol:	
Canada DSL:	Listed
TSCA Inventory Status:	Listed
EC Number:	204-589-7
Propylene glycol:	
EC Number:	226-775-7
Polysorbate 20:	
Canada DSL:	Listed
TSCA Inventory Status:	Listed
EC Number:	500-019-9
15.2 Chemical Safety Assessme	nt
Section 16: Additional Inform	mation 517210, 7210
Disclaimer:	This product is exempt from Safety Data Sheet regulations as the product is for consumer use. The information contained in this Safety Data Sheet (SDS) is offered as a guide to the use and handling of this material. All safety aspects of all Hollister products are thoroughly evaluated prior to commercialization. This SDS

as a guide to the use and handling of this material. All safety aspects of all Hollister products are thoroughly evaluated prior to commercialization. This SDS has been prepared in good faith by technically knowledgeable personnel. Hollister Incorporated shall not be held liable for any damages, losses or injuries of any nature which may result from the use of or reliance upon any information contained in this SDS. Each individual should make a determination as to the suitability of the information for his or her particular purpose(s)

	suitability of the	e inforr	Each individual should make a determination as to th nation for his or her particular purpose(s).
Copyright:	Copyright© 1996-2015 Actio Corporation. All Rights Reserved.		
HMIS:	Health	1	
	Flammability	1	-
	Reactivity	0	
	PPE	х	
	Chronic Health H	azard	1